

ARAUCOPLY
Primed

Time Saving
Superior Appearance



primed
ARAUCOPLY SIDING • ARAUCOPLY BEADED

ARAUCOPLY[®]

Primed

Paint and go with High Quality, Factory-Primed ARAUCOPLY

ARAUCOPLY Siding and ARAUCOPLY Beaded are now available with a consistent, full-coverage, prime on five sides, and a smooth, sanded back. These durable, exterior-grade panels are ready to paint without additional priming, and help achieve an attractive finish, especially when both sides of the panel are visible in your application.

Like all fine ARAUCOPLY panels, our primed panels are 100% solid wood. The panel is laid up on a composed core for superior stability, nail-holding ability, and machinability. ARAUCOPLY panels are made from sustainably-grown and pruned Radiata pine.

Features

- Exterior acrylic-latex prime
- Interior and exterior applications (uses PF resins)
- Composed core for consistent quality and performance
- Five-sided prime
- Sanded back
- 100% solid Radiata pine
- Sealed edges
- FSC[®] MIX (FSC-110612) certification available

INTRODUCING MORE OPTIONS WITH PRIMED PANELS

Primed Siding


Primed ARAUCOPLY Siding is ready-to-paint for a time-saving advantage. Siding panels are available in a wide variety of thicknesses and surface treatments, including rough sawn and smooth.

Primed Beaded Panels

Make it nice and easy with primed ARAUCOPLY Beaded, ready to install and paint for interior and protected exterior applications. Walls and wainscot, ceilings and cabinetry all finish faster when you don't have to prime.

Siding Applications

- Sheds
- Residential construction
- Light commercial construction
- DIY residential
- Garages



Time Saving
Superior



Appearance

Grooving Options

- Deep groove – 4" O.C., 8" O.C., 12" O.C.
- Shallow groove – 4" O.C., 8" O.C.
- No groove

Sizes

Product	Dimensions	Thicknesses
ARAUCOPLY Siding	48" x 96"	11/32" - 15/32" - 19/32"



Beaded Applications

- Exterior porch ceilings
- Interior decorative paneling
- Door and cabinet inserts
- Cabinet panel
- Backer for furniture (bookshelves)
- Bathroom/residential wainscot
- Restaurant design

Sizes

Product	Dimensions	Thicknesses
ARAUCOPLY Beaded	48" x 96"	11/32"

*ARAUCOPLY Siding, ARAUCOPLY Beaded and ARAUCOPLY Sanded panels are now available with a factory-primed finish. Visit araucopy.com for additional information on sizes. FSC® MIX (FSC-110612) certification is available. Inquire at marketing@arauco-na.com.

ARAUCOPLY[®]

Primed

For more information, visit:
www.araucoply.com



The mark of
responsible forestry
FSC® C110812



TIMBER PRODUCTS
We Deliver Confidence. ®

Time Saving Superior Appearance

ARAUCO North America

400 Perimeter Center Terrace
Suite 750
Atlanta, GA 30346
800-261-4890

© 2017 ARAUCO North America. All rights reserved.

renewables
for a
better life

arauco

www.arauco-na.com

primed

ARAUCOPLY SIDING • ARAUCOPLY BEADED